

University of Cape Town
Department of Computer Science

Computer Science CSC116S

Final Exam

November 2005

Marks: 115

Time: 3 hours

- Approximate marks per question are shown in brackets
- The use of calculators is permitted

NAME:

STUDENT NO: COURSE CODE:

This paper consists of 13 questions and 23 pages (including this cover page).

Mark Allocation							
Question	Marks	Internal	External	Question	Marks	Internal	External
1	[9]			9	[10]		
2	[10]			10	[10]		
3	[7]			11	[5]		
4	[8]			12	[3]		
5	[6]			13	[12]		
6	[5]			14	[4]		
7	[10]			15	[6]		
8	[10]						
Total				Total			

Grand Total			
Final Mark			
Internal Examiner:	External Examiner:		

[10]

Question 3 – 7 Marks

1. Draw a diagram to represent the process of removing a node from a CharList show the creation of the temporary node reference and the way in which the node is deleted.


[2]

2. Write a Java method that will remove the first element from CharList and return its value. Hint there are 3 cases to consider.

[1]

2. Binary Tree Traversals.

Consider the following tree.



Fill in each of the traversals below:

a) Preorder traversal

[2]

b) Inorder traversal

[2]

c) Postorder traversal

[2]

3. Given an empty binary search tree of integers, show the structure of the tree after each of the values 6, 1, 3, 8, 9, 4 is inserted. Show the steps not just the final solution.

[3]

Question 8 – 10 Marks

1. Please write the Java AWT Code for the below GUI frame using Border Layout as the Layout Manager

4. Given that a java.awt.Button can generate an ActionEvent which listener interface would you expect to have to implement, in a class which would handle this event?

FocusListener
 ComponentListener
 ActionListener
 ItemListener

[1]

5. Please fill in the blank in the below code?

[1]

```
public void actionPerformed(_____)
```

Section 3

Question 9 – 10 Marks

For the following questions, assume the Java2D graphics primitives:

Arc2D.Float (x, y, width, height, start, extent, type)

Ellipse2D.Float (x, y, width, height)

Line2D.Float (x1, y1, x2, y2)

Rectangle2D.Float (x, y, width, height)

RoundRectangle2D.Float (x, y, width, height, arcwidth, archeight)

Assume the API methods:

setColor (Color c)

draw (Shape s)

fill (Shape s)

1. Fill in the blanks in the following method to draw a rectangle without using the primitive Rectangle2D shape. Assume that w and h are width and height respectively.

```
void myDrawRectangle ( Graphics2D canvas, float x, float y, float w, float
h )
{
    canvas.draw (new Line2D.Float ( _____, _____, _____, _____ ));
    canvas.draw (new Line2D.Float ( _____, _____, _____, _____ ));
    canvas.draw (new Line2D.Float ( _____, _____, _____, _____ ));
    canvas.draw (new Line2D.Float ( _____, _____, _____, _____ ));
}
```

[4]

2. Write a method to draw the following figure using the Java2D API. Dimensions are indicated with dashed lines. Where no dimensions are listed, assume the figure is symmetrical.

[2]

2. Convert 120.75_{10} to hexadecimal.

[1]

3. Use 4-bit 1's complement binary addition to calculate $7_{10} - 3_{10}$.

[3]

4. What test must be done to check for an overflow in the above binary addition calculation?

[1]

5. Represent the floating point number 18.75_{10} in single-precision IEEE 754 format.

[3]

Question 11 – 5 Marks

1. What Boolean operator corresponds to the following truth table?

A	B	F
0	0	0
0	1	1
1	0	1
1	1	1

[1]

2. Using a truth table, prove the identity: $A \cdot (B + \bar{B}) = A$

[4]

Section 4

Question 12 – 3 Marks

1. You are given the following state of the MIPS machine. Give all the steps when the next instruction is carried out (i.e. the instruction add \$t2, \$t2, \$t3)

Show the values of the appropriate registers at each of the steps (load, increment, execute).

- 28. addi \$t2, \$0, 7
- 32. addi \$t3, \$0, 2
- 36. add \$t2, \$t2, \$t3
- 40.

	Instruction Reg	Program Counter	\$t2	\$t3
Initially		36	7	2

[3]

Question 13 – 12 Marks

1. Write a MIPS assembler program to do the same as the following JAVA program.

```
public static void main (String [] args)
{
    int [] x = {3, 4, 7, 6, 1, 5, 20, 4, 1, 7};
    int big = 0;

    for(int i =0; i < 10; i++)
```

[12]

Question 14 – 4 Marks

- 1. For a 2 pass assembler give:
 - a) the two main purposes of the first pass.

[2]

- b) the two main purposes of the second pass.

[2]

Question 15 – 6 Marks

- 1. Dad is aged 50, Mom is aged 40 and Son is aged 20. They agree to buy a CD if those voting for it have a confined age between 60 and 110 inclusive (i.e. $110 \geq \text{combined age} \geq 60$)

- For this problem:
- a) Give the truth table;
 - b) Construct the Boolean expression for a True outcome;
 - c) Use a Karnugh map to optimize this expression; and
 - d) Draw the optimized circuit.

[6]

Show all your working.

